


MOJO CABLE ENTRY BARRIER, BLACK



The MOJO Cable Entry Barrier in black ensures safe, efficient cable management with a pass-through for multicore cables, ideal for live events.

SKU: 1002019.00 | **Categories:** [Crowd Control](#), [MOJO Concert Barricades](#)



PRODUCT DESCRIPTION

The **MOJO Cable Entry Barrier in black** is a purpose-built barricade element designed to manage live event cable routing without disrupting stage aesthetics or barricade integrity. Whether you're running multicore lines from front of house to stage or setting up camera feeds and power across a festival field, this unit provides clean, protected cable access inside a continuous MOJO barrier wall.

Built from welded aluminum with a low-visibility black finish, this specialty barricade includes a removable vertical panel that opens via a 4-point hinge and bolt system—offering quick access for tech crews while securing cables during operation. The lowered base accommodates cables or [cable ramps](#) up to 3.15 tall, keeping lines flat and reducing trip hazards or strain.

Engineered for use in front-line positions, the MOJO Cable Entry Barrier must be framed between two [MOJO Straight Barriers](#) for full crowd-load strength. Like all [MOJO products](#), it connects via a tool-free nose-plug system with a single bolt and location pin, making it fast to deploy, reposition, and remove during changeovers or live builds.

From touring shows to broadcast events, this barrier delivers practical cable routing without compromising visual flow or safety. Also available in a [silver aluminum finish](#) for traditional venue aesthetics.

Key Features of the MOJO Cable Entry Barrier Black:

- **Integrated Cable Pass-Through** – Allows safe routing of power, audio, and signal lines up to 3.15 high
- **Removable Front Panel** – Secures with 4-point hinge and bolts for quick tech access
- **Black Finish** – Low-reflection matte surface ideal for touring and broadcast setups
- **Modular System Integration** – Fits between two MOJO Straight Barriers
- **Tool-Free Connection** – Nose-plug joint with bolt + pin for quick assembly
- **Slip-Resistant Base** – Sloped and grooved for safety underfoot

Ideal Applications

- FOH-to-stage cable runs at concerts and music festivals
- Video, lighting, and power lines for broadcast or TV recordings
- Cable protection zones within barricade lines
- Touring productions requiring fast load-in and clean cable management
- Event layouts where aesthetics and cable safety are equally critical

TECHNICAL SPECS

MOJO Rental North America

Los Angeles | Manheim | Fort Worth

Your Global Partner for Event Infrastructure

Dimensions

97 lbs

39.37 × 46.46 × 50.39 in



Phone: +1 (717) 664 015 8

us@mojorental.com

mojorental.com

Cable Height Capacity	Up to 3.15 inches
Color	Black
Material	Welded Aluminum, black finish
Panel Access	Removable via 4-point hinge + bolts
Connection	4-point hinge and bolt system for easy removal of the vertical plate
Compatibility	Fully compatible with other MOJO barriers, must be framed between two straight barriers for stability
Install Note	Must be framed between two MOJO Straight Barriers



