


## TERRAFLOR<sup>®</sup> LAWN PROTECTION PANELS



TerraFlor panels offer versatile protection for natural and synthetic grass, ensuring safe, damage-free surfaces during events with light to medium traffic.

**SKU:** 1001450.00 | **Categories:** [Event Flooring & Ground Protection](#), [Turf and Surface Protection](#)



## PRODUCT DESCRIPTION

**TerraFlor Lawn Protection Panels** are a lightweight, high-performance [turf protection system](#) engineered for concerts, festivals, and stadium events that require safe, breathable coverage for natural or synthetic grass. Designed to shield turf without compromising its health, these translucent panels feature a raised, anti-slip surface that promotes air circulation and light penetration—helping grass remain viable during long-duration events.

Each panel weighs just **68.34 lbs** and can be deployed easily by a two-person crew without tools. The integrated locking system allows for fast and secure assembly, making TerraFlor a favorite for large event builds. A 20-person team can install over **8,000 square meters (~86,000 sq ft)** in under 10 hours—ideal for stadium floors, fan zones, public walkways, and more.

With its unique blend of turf-safe performance and rapid deployment, **TerraFlor delivers clean aesthetics and reliable protection**—essential features of the TerraFlor Lawn Protection Panels, which are particularly useful in environments with moderate foot traffic and light equipment such as dollies or carts.

### Smart Event Flooring for Natural & Synthetic Turf

TerraFlor features a ventilated surface with raised air holes and drainage channels that reduce moisture buildup while allowing airflow. Its **UV-stabilized HDPE construction** is built to withstand outdoor use, while the translucent material supports continued photosynthesis during temporary coverage. Whether you're protecting a soccer pitch during a concert or laying walkways across sensitive turf, TerraFlor ensures your venue remains undamaged and ready for future use with its innovative lawn protection panels.

Thanks to its lightweight build, fast setup, and safe walking surface, TerraFlor is a go-to choice for **stadium operators and event production teams**. It excels in walkways, entrances, hospitality areas, and other medium-traffic zones where the TerraFlor Lawn Protection Panels provide essential turf protection. The flooring is frequently used in combination with other Mojo Rental systems such as [Supa-Trac](#) or [LD Rolls](#), allowing planners to tailor protection by zone — from [light pedestrian](#) use to [drivable access](#).

### TerraFlor Lawn Protection Panels Key Features:

- **Lightweight and Fast to Deploy** – 68.34 lb panels install quickly without machinery
- **Raised Anti-Slip Surface** – Provides grip while allowing air/light to reach turf
- **Tool-Free Locking System** – Integrated connectors for fast, secure setup
- **Moisture Drainage & Breathability** – Supports turf health over multi-day use
- **Durable, UV-Stabilized HDPE** – Weather-resistant for outdoor installations
- **High Coverage Efficiency** – 8,000+ sq. meters installed by 20 crew in under 10 hours

### Ideal Applications:

- Stadium turf protection for concerts and sports events
- Walkways and audience flooring on natural or synthetic grass
- Festival access lanes and public areas
- Temporary turf-safe zones for hospitality tents and concessions
- Lightweight cart/equipment paths across sensitive fields

MOJO Rental North America

Los Angeles | Mannheim | Fort Worth  
Your Global Partner for Event Infrastructure



Phone: +1 (717) 664 015 8

us@mojorental.com

mojorental.com

## TECHNICAL SPECS

|                       |                                                     |
|-----------------------|-----------------------------------------------------|
| Weight                | 68.34 lbs                                           |
| Dimensions            | 88.58 × 1.38 × 59.06 in                             |
| Material              | high-density polyethylene (HDPE)                    |
| Color                 | Translucent                                         |
| Surface Finish        | Anti-slip with raised perforations                  |
| Load Capacity         | Pedestrian + light equipment (e.g., carts, dollies) |
| Installation          | Integrated locking tabs, tool-free                  |
| Accessories           | Transport racks, edge ramps                         |
| Temperature Tolerance | -4°F to 122°F (-20°C to +50°C)                      |



## ADDITIONAL IMAGES

