

Exclusive Distributor

THE MOJO
BARRIERS



EVENT INFRASTRUCTURE FOR PROFESSIONALS.

www.mojorental.com

MOJO[®]
RENTAL

FLOOR COVERINGS / LAWN PROTECTION

TERRATRAK PLUS®

Terratrak plus® is the ultimate floor protection from heavy loads. It is specifically designed for use in large event arenas during event load-in and load-out where the need for using heavy machinery is crucial.

For years Promoters had been looking for a product which would enable them to bring 150 tonne cranes, forklifts and trucks onto a stadium field without causing damage.

With terratrak plus®, this situation has changed. This heavy flooring system creates a continuous surface with no gaps due to its overlapping design and unique locking system. It is bolted in panels of 2 during assembly, using bolt systems made from the same material as the cam-locks. This allows for an area of 2.42m² (26ft²) to be covered with each panel laid by 2 people. Panels are connected to their adjacent counterparts by means of very strong vertical locking cams manufactured from a special nylon which is as strong as steel but does not bend or rust, and provides the strongest possible panel connection.

Due to the light, air and water permeability of the system, the underlying grass can remain healthy when covered for several days. Terratrak plus® locks seamlessly to terratrak-WF® and terratrak-NF® providing a complete temporary flooring solution.



TECHNICAL SPECS


- » Material: High density polyethylene – HDPE
- » Dimensions (L x W x H): 2,2 x 1,2 x 0,38 m = 2,42 m²
- » Weight per item: 46 kg
- » Weight per m²: approx. 19 kg
- » Transport: 1.123 m² per truck
- » Distributed load: approx. 16,4 t per 150 mm² / approx. 734,2 t per m²
- » Characteristics: UV, air and water permeable, hardly inflammable
- » Color: White
- » Accessories: Ramps, Tools

FLOOR COVERINGS / LAWN PROTECTION

TERRAPLAS®

Terraplas® is the worldwide standard for natural grass turf protection systems. It was developed in 1991 for Wembley Stadium and is accepted around the world as the leader in high quality grass turf protection products.

In 1994, Gillette Stadium, home of the New England Patriots, purchased the first Terraplas in the United States. Today, Terraplas is accepted around the world as The STANDARD for high quality natural grass turf protection. When you say Kleenex or Coke you know immediately what image comes to your mind. In the event business, Terraplas is that brand. Quite simply, Terraplas was the first high-end, translucent cover system and all other products are measured against its quality and longevity.



TECHNICAL SPECS

- » Material: Ultra Violet light stabilized high density Polyethylene Copolymer Grade
- » Dimensions (L x W x H): 39.25" x 39.13" x 2.31"
- » Tiles per sheet: 4
- » Size per Sheet: 7.5" x 78.26" x 2.31"
- » SF per Sheet: 42.64
- » Sheets per Pallet: 18 / Tiles per Pallet: 72
- » Weight per Sheet: 103.2 lbs / Weight per Pallet: 1,957.6 lbs
- » Color: White

FLOOR COVERINGS / LAWN PROTECTION

TERRAFLOR®

Terraflor® is another solution in floor protection, incorporating many unique features.

Terraflor® is a quality temporary floor designed to protect the playing areas at stadiums when they are being used for non-sporting events.

Terraflor® incorporates an overlap on all sides, which is designed to prevent rubbish & non-desirable liquids from passing through to the turf. It also includes the capacity for expansion to avoid buckling under extreme temperatures.

It allows the passage of air & light and creates a moist atmosphere under the tile, without any noticeable build-up of heat – essential elements for keeping grass healthy.

Stages can be built on top of terraflor® using timber pads to assist in spreading the load. Light-weight vehicles eg gators/trolleys, with pneumatic tyres can be used on top of terraflor®. The system interlocks ensuring that there are no trip hazards. It also has a permanent non slip surface.



TECHNICAL SPECS

- » Material: High molecular weight, high density, polyethylene with UV stabiliser
- » Dimensions: 75m (30") x .75m(30") x 37mm (1½")
- » Useable fitted panel size: 2.25m x 1.5m = 3.37m² (7' 4" x 5' = 36½ ft²)
- » Weight per element: 9 kgs per m²/5.25 kgs per tile
- » Static Loading: Point load 20mm diameter = 479kgs – 1" square = 2,169lbs
- » Color: Translucent natural material, which allows the passage of light, ensuring grass growth – without yellowing.
- » Fire Requirements: UL94 HB
- » Cleaning: High pressure cold water spray washer
- » Life Expectancy: Guaranteed for 5 years but has a realistic life expectancy of c. 15

FLOOR COVERINGS / LAWN PROTECTION

SIGNA ROAD™

SignaRoad™ is a heavy duty floor protection system designed for the heaviest loads. It has a tremendous weight bearing capacity whilst being quick to install with the ability to be laid on most surfaces.

SignaRoad™ offers a choice of two tread patterns: roadway and pedestrian. this offers dual purpose in the same area. Ideal for Back stage pads at festivals and putting pathways next to car parks.

The locking system aligns the overlapping flanges to give a secure surface that does not allow mud or water to seep through. Once in place, the solid flange system provide unparalleled rigidity and strength. Signa Road can be configured to provide curved road ways if needed.

SignaRoad is an ideal solution for stage pads and back stage working areas.



TECHNICAL SPECS

- » Material: High density polyethylene – HDPE
- » Dimensions (L x W x H): 2.08m x 3m x 6,35cm outer / 1,88m x 2,84mx 6,35cm= 5,34m² cover
- » Weight per item: 225 kg
- » Transport: 587 m² per truck
- » Properties: 12,5to axle load – approx. 285 t per m²
- » Color: beige
- » Accessories: Ramps, Tools, Locks

FLOOR COVERINGS / LAWN PROTECTION

SUPATRAC

Supa-Trac is another unique flooring system from Mojo Rentals. It is highly durable while also being flexible and quick to install. Offering a very high level of protection for the ground underneath.

Supa-Trac is suitable for medium - heavy loading and creates a firm surface for walkways, roads, temporary structures and car parks.

It is the fastest ground cover solution of its kind in the market with no need for specialised tools or staff expertise. This is due to its patented click joining system of the modular panels.

Supa- Trac allows full air circulation across the covered surface and the panels have a drainage system, allowing safe coverage for several days.



TECHNICAL SPECS

- » Material: polypropylene copolymer
- » Dimensions (LxWxH): 966 x 275 x 34 mm
- » Dimensions of the pallet (LxWxH): 2.85 x 1.22 x 1.25 m
- » Weight per element: 2.025 kg
- » Weight per pallet: Empty: 112 kg,
- » Loading: 1,112 kg
- » Weight per m²: 9.7 kg
- » Capacity pallet: 32 layers; each layer 15 elements
- » Transport: 16 pallets per truck = 512 layers; 7,680 elements; 1,612.8 m²
- » Dynamic load: 3.5 t axle load Properties: UV, light and water permeable
- » Color: white
- » Accessories: ramps, transport frame

FLOOR COVERINGS / LAWN PROTECTION

HEXAGON

Ground protection system for light and medium loads.
Suitable for use on a level ground. Color: gray.

Hexagon plates are suitable for pedestrian walkways, event and exhibit space on level ground. The material can be quickly and easily connected and is easy to install by hand. It requires no tools.

Hexagon plates have a profiled, non slip surface.



TECHNICAL SPECS

- » Material: High density polyethylene – HDPE
- » Size: 0,27m²/ piece, 3,63 plates per m²
- » Weight per item: 2,8 kg
- » Transportation: 96 plates per pallet (120 x 120 cm)
- » Load handling: 3,5t axle load
- » Characteristics: easy to lay, UV resistant
- » Accessories: Geotextil, PE-Film
- » Color: Grey

FLOOR COVERINGS / LAWN PROTECTION

REMOPLA

Heavy duty floor plates – fast and secure attachment of paths, driveways and squares, fire rating UL94HB, load capacity up to 330 t / m² (depending on the substrate)

The robust heavy-duty floor plate Remopla consists of recycled PVC with UV stabilizers. It has a nubby surface that provides perfect support. A fast installation and a good grip are guaranteed by the surrounding fold. Remopla is well suited for fast and secure mounting of the hall floors, driveways, service roads, temporary parking lots, etc. It may also serve as a base for grandstands, seating and stages. Furthermore, it can also be used as a base for materials to be applied, such as sand or earth. The floor panels are ideal for use on gravel, cobbles or grass because they are very robust and resilient.



TECHNICAL SPECS

- » Material: Recycling-PVC
- » Dimensions (LxWxH): 75 x 115 x 4,5 cm cover / 80 x 120 x 4,5 cm outer
- » Weight per item: 32 kg
- » Transportation: 30 pieces per pallet; 24 palletes per truck; approx. 620 qm per truck
- » Loads: up to 330 to per m²
- » Characteristics: Fire rating UL94HB, circumferential fold, nubs on the top
- » Accessories: Road access ramps, PE-Film, Geotextil

FLOOR COVERINGS / LAWN PROTECTION

PORTAFLOOR

Lawn protection system for light use (pedestrians), on sensitive surfaces. Portafloor protects turf from pedestrian wear during events.

It has a special subsurface structure that allows the ingress of air, water and UV rays to allow the underlying lawn to breathe during use. As a result, it can be used for several days without damaging the grass.

Portafloor can be built up and dismantled very quickly due to its roll out design. It easily follows undulation and uneven rough surfaces.



TECHNICAL SPECS

- » Material: Polyethylen
- » Dimensions (LxWxH): 310 x 85 mm per element
- » Weight per m2: 3,8 kg
- » Transportation: approx. 2.400 m² per truck / approx. 300 m² per pallet
- » Characteristics: UV stabilizer
- » Accessories: Roll trolley
- » Color: Green

CONTACT / OFFICES

NETHERLANDS

benelux@mojorental.com
T: +31 (30) 242 82 00
F: +31 (30) 242 82 09

MOJO Rental All Areas BV
Veldzigt 3
3454 PW De Meem
Netherlands

UNITED KINGDOM

unitedkingdom@mojorental.com
T: +44 1708 687 440

MOJO Rental UK
Unit 3-6 Long Pond Works
Wrotham, Borough Green
Kent TN15 8DE
United Kingdom

UNITED STATES

northamerica@mojorental.com
T: +1 (717) 664 015 8
F: +1 (717) 664 053 2

MOJO Rental North America Corp.
181 East Stiegel Street
STE 202
Manheim, Pennsylvania 17545

AUSTRALIA

australia@mojorental.com
T: +61 2 9648 2097

Mojo Rental Australia
10 Moore Street
East Botany NSW 2019
(PO Box 1024, Narrabeen NSW 2101)

WORLDWIDE

worldwide@mojorental.com
T: +31 (30) 242 82 00
F: +31 (30) 242 82 09

Mojo Barriers BV
Veldzigt 3
3454 PW De Meem
Netherlands

exclusive rental partner

